

Classification Summary Report: 1797-1

Station ID : 1797-1

Info Line 1 : 462051 Concession 24

Info Line 2 :

GPS Lat/Lon :

DB File : 1797-1.DB

Last Connected Device Type : Phoenix

Version Number : 2.39

Serial Number : 51731

Number of Lanes : 2

Posted Speed Limit : 60.0 kph

Lane Configuration

#	Dir.	Information	Vehicle Sensors	Sensor Spacing	Loop Length
1.	E	EB	Axle-Axle	149 cm	
2.	W	WB	Axle-Axle	149 cm	

Axle Class Summary:



(DEFAULTC)

Description	Lane	Cycle	Cars	2A-4T	Buses	2A-SU	3A-SU	4A-SU	4A-ST	5A-ST	6A-ST	5A-MT	6A-MT	Other	Total
Total Count :	#1.	15	359	188	0	14	9	3	4	0	1	1	1	1	596
	#2.	22	382	206	0	13	7	2	5	0	2	3	0	1	643
		37	741	394	0	27	16	5	9	0	3	4	1	2	1239
Percents :	#1.	3%	60%	32%	0%	2%	2%	1%	1%	0%	0%	0%	0%	0%	48%
	#2.	3%	59%	32%	0%	2%	1%	0%	1%	0%	0%	0%	0%	0%	52%
		3%	60%	32%	0%	2%	1%	0%	1%	0%	0%	0%	0%	0%	

Speed Class Summary:

(VERONA)

(VERONA)	#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12	#13	#14	#15	#16		
	0.0 - 19.9	20.0 - 29.9	30.0 - 39.9	40.0 - 49.9	50.0 - 59.9	60.0 - 69.9	70.0 - 79.9	80.0 - 89.9	90.0 - 99.9	100.0 - 109.9	110.0 - 119.9	120.0 - 129.9	130.0 - 139.9	140.0 - 149.9	150.0 - 159.9	Other	Total	
Total Count : #1.	11	21	21	36	105	200	136	58	7	1	0	0	0	0	0	0	596	
#2.	13	8	19	26	63	142	216	120	30	4	1	1	0	0	0	0	643	
	24	29	40	62	168	342	352	178	37	5	1	1	0	0	0	0	1239	
Percents : #1.	2%	4%	4%	6%	18%	34%	23%	10%	1%	0%	0%	0%	0%	0%	0%	0%	48%	
#2.	2%	1%	3%	4%	10%	22%	34%	19%	5%	1%	0%	0%	0%	0%	0%	0%	52%	
	2%	2%	3%	5%	14%	28%	28%	14%	3%	0%	0%	0%	0%	0%	0%	0%		
Avg, 50, 67, 85 : #1.	63.2	65.2	70.6	77.6	Pace (pace %) :				60.1 - 80.0		56.4%		Days & ADT : #1.				2.0	298
#2.	69.6	72.6	77.2	85.0					62.9 - 82.8		55.7%		#2.				2.0	322
	66.5	68.5	74.8	82.4					60.1 - 80.0		56.0%						2.0	620



Classification Summary Report: 1797-2

Station ID : 1797-2

Info Line 1 : 462197 Concession 24

Info Line 2 :

GPS Lat/Lon :

DB File : 1797-2.DB

Last Connected Device Type : Phoenix

Version Number : 3.00

Serial Number : 43444

Number of Lanes : 2

Posted Speed Limit : 60.0 kph

Lane Configuration

#	Dir.	Information	Vehicle Sensors	Sensor Spacing	Loop Length
1.	E	EB	Axle-Axle	150 cm	
2.	W	WB	Axle-Axle	150 cm	

Axle Class Summary:

(DEFAULTC)


Description	Lane	Cycle	Cars	2A-4T	Buses	2A-SU	3A-SU	4A-SU	4A-ST	5A-ST	6A-ST	5A-MT	6A-MT	Other	Total
Total Count :	#1.	6	304	193	2	16	9	2	3	0	2	0	0	1	538
	#2.	11	374	176	0	12	7	2	2	1	3	1	1	1	591
		17	678	369	2	28	16	4	5	1	5	1	1	2	1129
Percents :	#1.	1%	57%	36%	0%	3%	2%	0%	1%	0%	0%	0%	0%	0%	48%
	#2.	2%	63%	30%	0%	2%	1%	0%	0%	0%	1%	0%	0%	0%	52%
		2%	60%	33%	0%	2%	1%	0%	0%	0%	0%	0%	0%	0%	

Speed Class Summary:


(VERONA)

(VERONA)	#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12	#13	#14	#15	#16		
	0.0 - 19.9	20.0 - 29.9	30.0 - 39.9	40.0 - 49.9	50.0 - 59.9	60.0 - 69.9	70.0 - 79.9	80.0 - 89.9	90.0 - 99.9	100.0 - 109.9	110.0 - 119.9	120.0 - 129.9	130.0 - 139.9	140.0 - 149.9	150.0 - 159.9	Other	Total	
Total Count : #1.	0	1	14	15	17	50	120	153	98	52	16	2	0	0	0	0	538	
#2.	6	6	7	17	28	117	179	153	61	10	5	2	0	0	0	0	591	
	6	7	21	32	45	167	299	306	159	62	21	4	0	0	0	0	1129	
Percents : #1.	0%	0%	3%	3%	3%	9%	22%	28%	18%	10%	3%	0%	0%	0%	0%	0%	48%	
#2.	1%	1%	1%	3%	5%	20%	30%	26%	10%	2%	1%	0%	0%	0%	0%	0%	52%	
	1%	1%	2%	3%	4%	15%	26%	27%	14%	5%	2%	0%	0%	0%	0%	0%		
Avg, 50, 67, 85 : #1.	82.2	83.9	89.0	98.9	Pace (pace %) :				70.1 - 90.0		50.7%		Days & ADT : #1.				2.0	269
#2.	75.2	76.3	83.0	88.9					70.1 - 90.0		56.2%		#2.				2.0	296
	78.5	79.6	85.8	94.9					70.1 - 90.0		53.6%						2.0	565

Axle Class vs. Volume (all lanes)



Speed Class vs. Volume (all lanes)



Classification Summary Report: 1798

Station ID : 1798

Info Line 1 : 70645 Zion Church Road

Info Line 2 :

GPS Lat/Lon :

DB File : 1798.DB

Last Connected Device Type : Phoenix

Version Number : 2.94

Serial Number : 51732

Number of Lanes : 2

Posted Speed Limit : 60.0 kph

Lane Configuration

#	Dir.	Information	Vehicle Sensors	Sensor Spacing	Loop Length
1.	N	NB	Axle-Axle	150 cm	
2.	S	SB	Axle-Axle	150 cm	

Axle Class Summary:

(DEFAULTC)


Description	Lane	Cycle	Cars	2A-4T	Buses	2A-SU	3A-SU	4A-SU	4A-ST	5A-ST	6A-ST	5A-MT	6A-MT	Other	Total
Total Count :	#1.	12	404	239	0	17	9	2	7	0	0	1	0	1	692
	#2.	10	397	191	0	16	11	2	9	1	0	2	0	1	640
		22	801	430	0	33	20	4	16	1	0	3	0	2	1332
Percents :	#1.	2%	58%	35%	0%	2%	1%	0%	1%	0%	0%	0%	0%	0%	52%
	#2.	2%	62%	30%	0%	3%	2%	0%	1%	0%	0%	0%	0%	0%	48%
		2%	60%	32%	0%	2%	2%	0%	1%	0%	0%	0%	0%	0%	

Speed Class Summary:

(VERONA)

(VERONA)	#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12	#13	#14	#15	#16		
	0.0 - 19.9	20.0 - 29.9	30.0 - 39.9	40.0 - 49.9	50.0 - 59.9	60.0 - 69.9	70.0 - 79.9	80.0 - 89.9	90.0 - 99.9	100.0 - 109.9	110.0 - 119.9	120.0 - 129.9	130.0 - 139.9	140.0 - 149.9	150.0 - 159.9	Other	Total	
Total Count : #1.	1	0	2	20	81	231	248	94	14	0	1	0	0	0	0	0	692	
#2.	1	1	9	38	166	237	133	48	5	1	0	1	0	0	0	0	640	
	2	1	11	58	247	468	381	142	19	1	1	1	0	0	0	0	1332	
Percents : #1.	0%	0%	0%	3%	12%	33%	36%	14%	2%	0%	0%	0%	0%	0%	0%	0%	52%	
#2.	0%	0%	1%	6%	26%	37%	21%	8%	1%	0%	0%	0%	0%	0%	0%	0%	48%	
	0%	0%	1%	4%	19%	35%	29%	11%	1%	0%	0%	0%	0%	0%	0%	0%		
Avg, 50, 67, 85 : #1.	70.0	70.7	75.2	80.9	Pace (pace %) :					60.1 - 80.0		69.2%		Days & ADT : #1.			2.0	346
#2.	64.6	64.6	68.8	76.4						51.7 - 71.6		63.0%		#2.			2.0	320
	67.4	67.4	73.0	79.0						60.1 - 80.0		63.7%					2.0	666

Axle Class vs. Volume (all lanes)



Speed Class vs. Volume (all lanes)

